

# WYKAZ ŁUKÓW POZIOMYCH

## Przebudowa drogi gminnej Mątwa-Grzymały Nowogrodzkie

Nr wierzchołka	Lokalizacja środku łuku	Kąt zwrotu [grad.]	Promień łuku [m]	To [m]	i [%]
				Ł [m]	poszerzenia
				Z [m]	[m]
1	2	3	4	5	6
W 1	0+028.49	32.65	80.00	20.975	4.0% jedn.
				41.03	pw=pz
				2.704	0.40
W 2	0+108.99	44.27	100.00	36.245	4.0% jedn.
				69.55	pw=pz
				6.366	0.3
W 3	0+216.41	3.93	1500.00	46.309	2.0% dasz.
				92.59	pw=pz
				0.715	0.0
W 4	0+399.82	13.74	150.00	15.778	4.0% jedn.
				31.44	pw=pz
				0.828	0.20
W 5	0+600.47	6.19	700.00	34.078	2.0% jedn.
				68.10	pw=pz
				0.829	0.0
W 6	0+700.00	16.63	100.00	13.133	4.0% jedn.
				26.117	pw=pz
				0.859	0.3
W 7	0+777.14	12.76	100.00	10.058	4.0% jedn.
				20.048	pw=pz
				0.505	0.3
Z1	0+855.82	3.15	-	-	2.0% dasz.
				-	pw=pz
				-	0.0
W 8	1+053.39	7.07	200.00	11.113	2.0% dasz.
				22.204	pw=pz
				0.309	0.2
W 9	1+241.23	3.51	700.00	19.322	2.0% dasz.
				38.635	pw=pz
				0.267	0.0
W 10	1+386.25	6.31	200.00	9.921	2.0% dasz.
				19.826	pw=pz
				0.246	0.0
W 11	1+452.84	4.428	200.00	6.960	2.0% dasz.
				13.914	pw=pz
				0.121	0.0